${
m GT45x}$  flybridge



# STANDARD SPECIFICATIONS

# ARRANGEMENTS

OVERALL LENGTH	44'7"	13.59 м
OVERALL LENGTH W/BOW PULPIT	47'7"	14.50 м
WATERLINE LENGTH	39'0'	11.88 м
BEAM	16'6"	5.03 м
WEIGHT DISPLACEMENT	49,700 LB	22,543 ка
DRAFT	4'0"	1.22 м
FUEL CAPACITY	800 GAL	3,028 ∟
FRESHWATER CAPACITY	100 GAL	379 L
HOLDING TANK	43 GAL	163 L
DIESEL GENERATOR	17.0 кw	
TWIN CAT C-12.9 DIESEL ENGINES	835 внр	850 мнр

The specification measurements are approximations and subject to variance.



### GENERAL ARRANGEMENT

1 stater	oom, 1 head arrangement	
	2 stateroom, 1 head arrangement	OPT
	Express flybridge with bridge ladder, includes integrated fiberglass hardtop with single pane windshield	
	with windshield wipers, A/C on helm deck, and aft soft enclosure	OPT
	Integrated express fiberglass hardtop with single pane windshield with windshield wipers, A/C on helm deck,	
	and aft soft enclosure	OPT
COCK	PIT / HARDTOP / ELECTRONICS	
	Full tower, open, with outriggers - includes enclosure: A, B, (2ea) U-rollups	OPT
	Half tower, open, with outriggers - includes enclosure: A, B, (2ea) U-rollups	OPT
	Full tower, express, with outriggers	OPT
	Full tower, express flybridge, with outriggers - includes enclosure: A	OPT
	Half tower, express flybridge, no outriggers - includes enclosure: A	OPT
	Half tower, express flybridge, with outriggers - includes enclosure: A	OPT
	Express outriggers	OPT
	Teaser reel mounting location in flybridge hardtop (with express bridge option)	OPT
	Electronics navigation package (full tower, open)	OPT
	Electronics navigation package (half tower, open)	OPT
	Electronics navigation package (no tower, express)	OPT
	Electronics navigation package (full tower, express)	OPT
	Electronics navigation package (full tower, express flybridge)	OPT
	Electronics navigation package (half tower, express flybridge)	OPT
Mezzar	nine seating with cushions	
	Bait and tackle center with drawers	OPT
	Integrated folding port and starboard bench seats	OPT
2 insula	ted storage boxes in mezzanine step	
Insulate	ed storage box under mezzanine seat	
	Bait freezer under mezzanine seat	OPT
Cockpit	t, 138 square feet including mezzanine, two insulated fish boxes with macerator, stainless steel rod holders (4),	
and r	nounting plate for installation of rocket launcher	
	Teaser reel mounting location in helm deck hardtop (not available with express bridge option)	
	Teak helm deck	
	Helm deck carpet	OPT
Insulate	ed transom fishbox with drain and macerator	
	Circulating livewell with LED lighting in transom fishbox	OPT
	Glass window in transom fishbox	OPT
	Teak coaming boards	
	Teak cockpit sole	
	Teak covering boards	
	Teak mezzanine deck	OPT
Transor	n door with heavy duty polished stainless steel hardware and lift up coaming gate	
	Port in deck refrigerated fishbox	OPT
INTE	RIOR APPOINTMENTS	
	Finishes / Wall Covering / Fabric:	
	headliner installed on track system	
_	white Oak interior, satin finish	ODT
	Teak interior, high gloss finish	
GT sori	Natural Walnut interior, satin finishes tier 1 interior fabrics, wallcoverings, and countertops (upgrades available at the Hatteras Design Center)	OPT
01 3CH	os nor i interior labrios, wancoverings, and countertops (upgrades available at the flatteras Design Center)	

## Flooring:

GT series tier 1 vinyl flooring throughout (flooring upgrades available at the Hatteras Design Center)

#### Integrated Interior Furnishings:

L-Shaped lounge with storage beneath, wood table and stainless base

Master stateroom, queen sized tapered berth and nightstands

Hanging locker storage in stateroom

Mirrored storage cabinet over sink in head

Cedar lined storage areas in all staterooms

#### Design Features:

Bilge access through deck hatches

Fixed frameless windows with laminated glass at helm deck

Main cabin skylight

3 screened overhead hatches with privacy shades

#### Interior Lighting:

Mattresses:

Dimmable LED lighting in salon and master stateroom White LED lights in engine room 

Master stateroom, queen-sized mattress - System 2 

#### EXTERIOR APPOINTMENTS

#### Integrated Exterior Furniture:

Helm deck, integrated helm console captain & starboard companion helm chairs, lounge seating with storage beneath, starboard cabinet with storage and refrigerator

Helm deck, helm chair premium upgrades (2) - captain and starboard companion	
(2 chairs, includes helm chair covers)	OPT
Helm deck, 3rd helm chair - companion helm chair on the port side	OPT
Helm deck, helm chair premium upgrades (3) - captain, starboard and port companion	
(3 chairs, includes 3rd helm chair option and helm chair covers)	OPT
Flybridge, helm chair premium upgrade, captain (1 chair, includes helm chair cover)	OPT
Flybridge, companion helm chair on the port side	OPT
Flybridge, helm chair premium upgrades (2), captain and port companion	
(2 chairs, includes companion chair option and helm chair covers)	OPT
Teak helm deck table with cover (standard 2 helm chair arrangement on helm deck)	OPT
Teak helm deck table with cover (3 helm chair arrangement on helm deck)	OPT

### Exterior Engineering:

Open helm deck with wrap around windshield with windshield wipers

Palm Beach style helm with single lever electric controls and steering wheel

,	-		3	
Teak helm pod	l (helm deck)			OPT
Teak helm pod	l (express bridge hel	m option)		OPT
Swim platform	with reboarding lad	der		OPT

#### Exterior Hardware and Anchoring System:

Anchor 25' of galvanized chain 250' anchor line

, IOI,	, 25 of galvanized chain, 250 anchor line	
	Fiberglass pulpit with anchor chute and windlass, 1,700 pound, rope-chain with deck mount control switches	OPT
	Aluminum bow rails	OPT
	Polished, stainless steel bow rail	OPT

Four polished stainless steel spring cleats

2 polished stainless steel bow cleats and 2 stern cleats and hawse pipes

Dual air horn

# **Exterior Lighting:** DC LED tricolor overhead lights in helm deck area Underwater LED lights (2) in transom - white Tri-color coaming lights......OPT APPLIANCES Interior Appliances: Under counter refrigerator and freezer drawer unit, microwave oven, and ceramic cook top in galley **Exterior Appliances:** HULL / EXTERIOR Propulsion / Fuel Systems / Hull Design and Performance: Resin-infused foam core with solid fiberglass hull bottom; resulting in stronger and lighter construction, backed by Hatteras 10 year hull warranty Hull and super structure painted with a white premium polyurethane coating for increased durability and improved cosmetic finish Ablative polymer/copper based anti-fouling bottom paint Molded fiberglass longitudinal stringers with steel engine beds Finished engine room and bilges for improved cosmetics Twin Caterpillar® C-12.9A 835 BHP diesel engines Twin CAT C-12.9 985 BHP diesel engines.....OPT Twin CAT C-18A 1,135 BHP diesel engines ......OPT □ Seakeeper 6 gyro stabilization system......OPT □ Electric bow thruster......OPT CAT Three60 joystick control system with bow thruster (available with C-18A engines only)......OPT Hydraulic power-assisted steering Oil change system for engines, gears and generator U.L. Marine-listed duplex fuel filters/water separators, engines and generators Electric fuel priming pumps for engines 800 gallon fiberglass fuel tanks constructed with fire retardant resin Stainless steel steering tie bar with pivoting self aligning ball joint connection at all cylinder and tie bar connections Bronze rudder with stainless steel shaft Manganese bronze rudder ports with composite bearings, shaft couplings and struts Alloy 22 high strength tapered propeller shafts with zincs and round keys for reduced stress concentrations at propeller and coupling ends Nibral high performance propellers

#### **Engine Room Systems:**

FM200 fire extinguisher system with automatic and manual controls

DC ventilation fan

24V high volume DC bilge and sump pump systems

Insulation in engine room ceiling, for noise mitigation on helm deck

Individual pickup sea chests for each engine and gensets, high speed sea chest for water makers,

All underwater through hull valves are bronze/chrome through-bolted with electrical bonding throughout

air conditioners and raw water pumps
Centralized drain system with single thru-hull

Water Systems:	
20 gallon water heater	
100 gallon polyethylene water tank	
Pressurized fresh water pump	
Water manifold with centralized shut off valve for sinks and showers	
☐ Raw water wash down outlet	OPT
24V DC sealed shower sumps	
Fresh water wash down outlet	
43 gallon holding tank plumbed for dockside pump out	
Holding tank 3/4 full indicator light in all heads	
Shore water connection with pressure reducing valve	
□ Watermaker - 600 GPD	OPT
☐ Hot and cold hand held shower	OPT
Electrical Systems:	
One 240 volt, 50 amp, retractable shore cord	
Shoreline polarization transformer	
AGM 24 volt heavy duty marine battery banks mounted in fire retardant fiberglass boxes (2)	
Automatic battery charger	
Battery paralleling switch at helm	
Battery control panel with fuses, voltmeter, and isolation switches	
AC and DC distribution panels with magnetic circuit breakers in main cabin	
□ 12V electric reel outlets in cockpit (2)	
☐ Electrical system - full 50 HZ 220V	OPT
System Monitoring:	
Systems Monitor display with visual and audible signals for exhaust temperature, alternator,	
battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in	
engine room, AC power loss, smoke and carbon monoxide detectors, and holding tank 3/4 monitor	
Lighted compass	
Entertainment Equipment:	
Omni-directional TV antenna	
Integrated helm and cockpit DC AF/FM stereo with USB dock and speakers	
Independent audio video system in each living area to include LED Televisions, DC AM/FM stereos,	
USB ports, and speakers	
☐ Whole boat audio video streaming integration from one source with integrated audio and video storage	
capabilities for offshore viewing without data connections (Kaleidoscape)	
□ Internet package	
□ Satellite internet package	
□ DIRECTV package	OPT

### Air Conditioning:

Interior air conditioning, 18,000 BTU capacity, with reverse cycle heating

HVAC controls located in the main cabin, forward stateroom and starboard head

Flybridge helm station air conditioning 8,000 BTU capacity (flybridge selected)

Helm deck air conditioning 32,000 BTU capacity, open (standard on express hardtop and express flybridge models)

Supply Items:	
Braided nylon mooring lines (6)	
Life jackets (6)	
Fenders (2)	
Life ring	
☐ Prop removal and installation tool	OPT
Portable "drychem" fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard and ABYC standards	
Hand held air horn	
Vessel supply items (details in supplement)	
☐ One 4 person life raft with hydrostatic release on boat deck in compliance with United States Coast Guard and ABYC standards	OPT

□ CE certification.......OPT

### HATTERAS WARRANTY

1 year world wide warranty: see Express Limited Warranty for details













# Hatteras\*