

STANDARD SPECIFICATIONS

ARRANGEMENTS

OVERALL LENGTH	53'10"	16.41 м
OVERALL LENGTH W/BOW PULPIT	57'2"	17.43 м
WATERLINE LENGTH	47'7"	14.50 м
BEAM	17'3"	5.26 м
WEIGHT DISPLACEMENT	75,000 LB	354,019 к
DRAFT	4'2"	1.28 м
FUEL CAPACITY	1,200 GAL	4,542 L
FRESHWATER CAPACITY	180 GAL	681 L
HOLDING TANK	95 GAL	360 L
DIESEL GENERATOR	17.0 kw	
TWIN CAT C-18A DIESEL ENGINES	1,135 внр	1,150 мнр

The specification measurements are approximations and subject to variance.







FLYBRIDGE ARRANGEMENT

STANDARD 3 STATEROOM / 2 HEAD ARRANGEMENT

OPTIONAL BOW V-BERTH ARRANGEMENT

GENERAL ARRANGEMENT

3 state	eroom, 2 head arrangement	
	60/40 split berth arrangement in bow stateroom	. OPT
TOWI	ER & COKPIT	
	Half tower with outriggers - includes enclosure: A, B, (3ea) vents	∩DT
_		
Mozzo		. OF 1
	nine seating with cushions Indicate the seating with drawers to the seating with the seat	
	ated storage boxes in mezzanine step eezer under mezzanine seat	
_	ed drink box in top step of mezzanine	ODT
	9	
	L L	
	Teak covering boards	
	, 0	
		. OPT
	m door with heavy duty polished stainless steel hardware	
	Lift up coaming gate	. OPT
INTE	RIOR APPOINTMENTS	
Wood	Finishes / Wall Covering / Fabric:	
	nterior, satin finish	
		. OPT
	headliner with wood accents installed on track system, throughout	
	ries tier 2 interior fabrics, wallcoverings, and countertops (upgrades available at the Hatteras Design Center)	
	, , , , , , , , , , , , , , , , , , , ,	
Floori	ng:	
	ries tier 2 flooring throughout: vinyl flooring in galley and heads; carpet in all staterooms and salon	
	ring upgrades available at the Hatteras Design Center)	
(
Integr	ated Interior Furnishings:	
	ped sofa with storage, and Teak cocktail table with integrated storage in salon	
	island cabinet with storage	
-	ped dinette with storage beneath, wood table with stainless steel pedestal	
-	r stateroom, queen sized berth, nightstands and dresser	
	tateroom, queen sized tapered berth and nightstands	
		OPT
	pard stateroom, side-by-side berths with storage beneath	. 01 1
	ngth mirror in all staterooms	
_	ng locker storage in all staterooms	
	lined storage areas in all staterooms	
	ed storage cabinets over sinks in all heads	ODT
Ц	Plexi mirrored ceiling in master head and starboard head	. 021
Doole	n Footures:	
	n Features:	
_	access through companionway deck hatches	
-	anionway access to finished attic spaces	
	frameless windows with tinted safety glass in salon and galley	
_	tateroom screened overhead hatch with privacy shade	057
	' '	. OPT
	rail in companionway	
	Wainscoting in companionway	. OPT

Interior Lighting: Dimmable LED lighting in salon and master stateroom	
White LED lights in engine room	
☐ Bicolor LED (blue/white) lights in engine room	OPT
Mattresses:	
Master and bow staterooms, queen-sized mattresses - System 3	
Starboard stateroom, twin mattresses (2) - System 2	
☐ Master stateroom, queen-sized mattress upgrade - System 4	
Bow stateroom, queen-sized mattress upgrade - System 4 (not available if 60/40 arrangement is selected)	
☐ Starboard stateroom, twin mattresses (2) upgrade - System 3	OPT
EXTERIOR APPOINTMENTS	
Integrated Exterior Furniture:	
Flybridge, peninsula helm console with captain helm chair, starboard side bench seat with cushions and storage beneath	
☐ Helm chair premium upgrade - captain (1 chair, includes helm chair cover)	
□ 2nd Helm chair - companion helm chair on the port side	OPT
☐ Helm chair premium upgrades (2), captain and port companion (2 chairs, includes 2nd helm chair option	OPT
and helm chair covers)	OPT
Exterior Engineering:	
Palm Beach style helm with single lever electric controls and steering wheel	
☐ Teak helm pod, high gloss finish	OPT
Sliding salon door	
□ Pneumatic sliding salon door	
☐ Faux teak salon entry door, high gloss finish	
□ Swim platform with reboarding ladder	OPT
Exterior Hardware and Anchoring System:	
Anchor, 25' chain, 300' anchor line	
Anchor locker on bow deck	
☐ Fiberglass pulpit with anchor chute and windlass, 1,700 pound, rope-chain with deck mount control switches ☐ 1500LB Davit mounted on bow deck with 126" boom	
Four polished stainless steel spring cleats	
2 polished stainless steel bow cleats and 2 stern cleats and hawse pipes	
Polished, anodized aluminum flybridge rail and bridge ladder	ODT
□ Polished, anodized aluminum bow rail	
Dual horn	01 1
Exterior Lighting:	
DC LED tricolor overhead lights under flybridge overhang	
Underwater LED lights (2) in transom - white	OPT
☐ Underwater LED lights (2) in transom - upgrade intensity / bicolor (white and blue)	
□ Underwater LED lights (2) in transom - upgrade intensity / full spectrum, dancing	
APPLIANCES	
Interior Appliances:	
Under counter refrigerator and freezer drawer units (1 refrigerator/refrigerator unit, 1 refrigerator/freezer unit) Microwave/convection oven, four-burner ceramic cooktop, garbage disposal in galley	
Washer/dryer in bow stateroom	
□ Wood inserts to match interior wood finish on appliance fascia	OPT
Exterior Appliances:	
☐ Eskimo ice machine	OPT

HULL / EXTERIOR

Propulsion / Fuel Systems / Hull Design and Performance: Resin-infused foam core with solid fiberglass hull bottom; resulting in stronger and lighter construction, backed by Hatteras 10-year hull warranty Hull and super structure painted with a white premium polyurethane coating for increased durability and improved cosmetic finish □ Light colored hull paint (non-metallic) OPT Dark colored hull paint (non-metallic)......OPT Ablative polymer/copper based anti-fouling bottom paint Molded fiberglass longitudinal stringers with steel engine beds Finished engine room and bilges for improved cosmetics Twin Caterpillar® C-18A 1,135 BHP diesel engines ☐ Twin CAT C-32A 1,700 BHP diesel engines **......OPT Electric fuel priming pumps for engines □ Hydraulic bow thruster system.....OPT Hydraulic power-assisted steering U.L. Marine-listed duplex fuel filters/water separators, engines and generators 24 volt DC oil changing system for engines, gears and generator with Hatteras patented disconnect 1,200 gallon fiberglass fuel tank constructed with fire retardant resin and bronze fittings Patented differential steering system for improved control in high speed turns (Patent # 7895959B1) 1" stainless steel steering tie bar with pivoting self aligning ball joint connection at all cylinder and tie bar connections Stainless steel rudders with zincs Manganese bronze rudder ports, shaft couplings, and struts Transom zinc Alloy 22 high strength tapered propeller shafts with zincs and round keys for reduced stress concentrations at propeller and coupling ends Nibral high performance propellers All underwater through hull valves are bronze/chrome through-bolted with electrical bonding throughout **Engine Room Systems:** FM200 fire extinguisher system with automatic and manual controls DC exhaust blower 24V high volume DC bilge and sump pump systems Emergency bilge pump in lazarette Insulation in engine room ceiling, for noise mitigation in salon Individual pickup sea chests for each engine and gensets, high speed sea chest for water makers, air conditioners and raw water pumps Centralized drain line with single thru-hull Water Systems: 20 gallon water heater 180 gallon polyethylene water tank Pressurized fresh water pump Water manifold with centralized shut off valve for sinks and showers Cockpit fresh water wash down outlet 24 V DC Sealed shower sumps Flybridge fresh water outlet 95 gallon holding tank plumbed for dockside pump out Holding tank 3/4 full indicator light in all heads Shore water connection with pressure reducing valve Bow deck fresh water wash down in anchor locker □ Watermaker - 1,200 GPD......OPT ☐ Fresh water back-up pumpOPT

Spot Zero......OPT

Electrical Systems:	
(2) 240 V, 50A shore cords (1-retractable, 1-fixed)	
Two shoreline polarization transformers with boost function	
AGM 24 volt heavy duty marine battery banks mounted in fire retardant fiberglass boxes (2)	
Automatic battery charger	
Ventilation fans for electronics in attic space	
Automatic battery paralleling system with switch at helm console	
Battery control panel with fuses, voltmeter, and isolation switches	
AC and DC distribution panels with magnetic circuit breakers	
Electric panels, water tank gauge, and DC lights in attic space	
□ 12V electric reel outlets in cockpit (2)	
□ Electrical system - full 50 HZ 220V	
□ Additional generator (9 KW)	OPT
System Monitoring:	
Flybridge Hatteras systems Monitor display with visual and audible signals for exhaust temperature, alternator,	
battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room,	
AC power loss, smoke and carbon monoxide detectors, and holding tank 3/4 monitor	
Lighted compass	
Entertainment Equipment:	
Omni-directional TV antenna	
Integrated flybridge and cockpit DC AM/FM stereo with USB dock and speakers	
Independent audio video system in each living area to include LED Televisions, DC AM/FM stereos, USB ports,	
and speakers. Master stateroom and bow stateroom have Blu-Ray players, guest staterooms have DVD players	ODT
□ Internet package	
□ Satellite internet package	
□ DIRECTV package	
□ 20" Class LED TV with DVD/Stereo in starboard stateroom	OPT
Air Conditioning:	
Air conditioning, 42,000 BTU capacity, with reverse cycle heating	
HVAC controls located in the salon, master stateroom, bow stateroom and starboard stateroom	
□ Cockpit air conditioning	OPT
□ Flybridge air conditioning	OPT
☐ Air conditioning upgrade (56,000 BTU Capacity)	OPT
□ Back-up sea water pump for air conditioning system	OPT
Supply Items:	
Braided nylon mooring lines (6)	
Life jackets (6)	
Life ring	
Black fenders (3)	
	ODT
□ Prop removal and installation tool	OP I
and ABYC standards	
Hand held air horn	
Cordless portable Vacuum w/mounting bracket	
Vessel supply items (details in supplement)	
☐ One 6 person life raft with hydrostatic release on boat deck in compliance with United States Coast Guard	
and ABYC standards	OPT

HATTERAS WARRANTY

¹ year world wide warranty: see Express Limited Warranty for details













Hatteras[®]