

STANDARD SPECIFICATIONS

ARRANGEMENTS

OVERALL LENGTH	65'2"	19.86 м
OVERALL LENGTH W/BOW PULPIT	68'2"	20.77 м
WATERLINE LENGTH	57'7"	17.55 м
BEAM	20'0"	6.10 м
WEIGHT DISPLACEMENT	103,000 LB	46,270 KG
DRAFT	5'0"	1.53 м
FUEL CAPACITY	1,900 GAL	7,192 L
FRESHWATER CAPACITY	270 GAL	1,022 г
HOLDING TANK	150 GAL	568 L
DIESEL GENERATOR	21.5 кw	
TWIN CAT C-32A DIESEL ENGINES	1,600 внр	1,622 мнр

The specification measurements are approximations and subject to variance.







ARRANGEMENT

OPTIONAL PENINSULA GALLEY ARRANGEMENT

GENERAL ARRANGEMENT 4 stateroom, 3 head arrangement COCKPIT / TOWER / ELECTRONICS □ Electronics navigation package (full tower) OPT Mezzanine seating with cushions Bait and tackle center with drawers 3 insulated storage boxes in mezzanine step (2 stainless steel) Refrigerated drink box in top step of mezzanine Cockpit includes two insulated fish boxes with macerator, stainless steel rod holders (4), and mounting plate for installation of fighting chair Insulated transom fishbox with drain and macerator □ Teak covering boards......OPT □ Teak mezzanine deck......OPT Transom door with heavy duty polished stainless steel hardware □ Lift up coaming gate......OPT INTERIOR APPOINTMENTS Wood Finishes / Wall Covering / Fabric: Teak interior, high gloss finish Teak interior, satin finish Fabric headliner installed on track system; wood accents in salon GT series tier 3 interior fabrics, wallcoverings, and countertop (upgrades available at the Hatteras Design Center) Flooring: GT series tier 3 flooring throughout: vinyl flooring in galley and heads, carpet in salon and all staterooms (flooring upgrades available at the Hatteras Design Center) Integrated Interior Furnishings: L-shaped sofa with storage, and Teak cocktail table with storage in salon U-shaped elevated dinette, with storage beneath, wood table, with stainless steal pedestal Galley island cabinet with two bar stools □ Overhead lockers in bow stateroom.......OPT Port forward and port aft staterooms, upper and lower fixed twin berths, with storage beneath lower berths Cedar lined storage areas in all staterooms Full-length mirror in all staterooms Hanging locker storage in all staterooms Mirrored storage cabinets over sinks in all heads □ Plexi mirrored ceiling in bow head, master head and port head.......OPT Design Features:

Design realures:

Companionway access hatches to all bilges

Fixed frameless windows with tinted safety glass in salon and galley

Bow stateroom screened overhead hatch with privacy cover

Salon polished stainless steel threshold at salon door

Chair rail in companionway

□ Wainscoting in companionway.......OPT

Interior Lighting:	
Dimmable LED lighting in living areas	
Lighted stairways	
LED white lights in engine room	
□ LED Bicolor (blue/white) lights in engine room	OPT
Maddings	
Mattresses:	
System 3 Premium queen mattress in master and bow staterooms	
System 2 Premium twin mattresses (lower bunk) latex mattress (upper bunk) in guest staterooms Mattress system upgrade with optional 60/40 bow stateroom	ODT
☐ Mattress system upgrade in master state room	
☐ Mattress system upgrade in master state room. ☐ Mattress system upgrade in guest staterooms, lower bunks only	
ination system apprado in guest stateronno, lower buring only	. 01 1
EXTERIOR APPOINTMENTS	
Integrated Exterior Furniture:	
Flybridge, center helm console with two helm chairs, lounge seat forward of console with insulated storage beneath,	
two bench seats with storage beneath and two aft facing barrel seats with cup holders	ODT
☐ Helm chair premium upgrades, (2) -captain and port companion (2 chairs, includes helm chair covers)	
☐ Reversible riding seat ladder back with cushion (2)	OP I
Eutoviev Engineevings	
Exterior Engineering: Streamlined Carolina-style, with smoothed housesides, slim wingboards, and low-profile quarter-fenders	
Palm Beach style helm with single lever electric controls and steering wheel	
□ Teak helm pod, high gloss finish	∩DT
Sliding salon door	01 1
☐ Electric sliding salon door	OPT
☐ Faux teak salon entry door, high gloss finish	
☐ Port and starboard bow deck hatches.	
☐ Swim platform with reboarding ladder	-
Exterior Hardware and Anchoring System:	
Anchor, 25' chain, 300' anchor line	
Anchor locker with overboard drain	
☐ Fiberglass pulpit with anchor chute and windlass, 1,700 pound, rope-chain with deck mount control switches	OPT
☐ 1500LB Davit mounted on bow deck with 126" boom	. OPT
Four polished stainless steel spring cleats	
2 polished stainless steel bow cleats and 2 stern cleats and hawse pipes	
Polished, anodized aluminum flybridge rail and bridge ladder	
□ Polished, anodized aluminum bow rail	
□ Polished, stainless steel bow rail	. OPT
Dual horn	
Exterior Lighting:	
DC LED tricolor overhead lights under flybridge overhang	
Tri-color coaming lights	
Underwater LED lights (2) in transom - white	ODT
☐ Underwater LED lights (2) in transom - upgrade intensity / bicolor (white and blue)	
□ Underwater LED lights (2) in transom - upgrade intensity / full spectrum, dancing	OPT
APPLIANCES	
Interior Appliances:	
Under counter refrigerator and freezer drawer units (1 refrigerator/refrigerator unit, 1 refrigerator/freezer unit),	
microwave/convection oven, four-burner ceramic cooktop, garbage disposal in galley	
Washer / dryer in companionway	
Icemaker in dinette	
☐ Wood inserts to match interior wood finish on standard appliances (2) fascia	. OPT
Exterior Appliances:	
□ 8 cubic foot top loading freezer on the flybridge beneath lounge seat	
Eskimo ice machine	OPT

HULL / EXTERIOR

	sion / Fuel Systems / Hull Design and Performance:	
	nfused foam core with solid fiberglass hull bottom; resulting in stronger and lighter construction, ked by Hatteras 10-year hull warranty	
	d super structure painted with a white premium polyurethane coating for increased durability	
	I improved cosmetic finish	
	Light colored hull paint (non-metallic)	. OPT
	Dark colored hull paint (non-metallic)	
Ablativ	e polymer/copper based anti-fouling bottom paint	
Hullsid	e air-intake vents and air boxes, with Delta T air-intake system	
	d fiberglass longitudinal stringers with steel engine beds	
	d engine room and bilges for improved cosmetics	
	aterpillar® C-32A 1,600 BHP diesel engines	
	Twin CAT C-32A 1,800 BHP diesel engines (net item not discountable)	
	Twin CAT C-32A 1,900 BHP diesel engines (net item not discountable)	
	Seakeeper 9 (2 Units) gyro stabilization system (net item not discountable)	
	Electric bow thruster	
	Hydraulic bow thruster system	.001
	c over hydraulic patented differential power steering system	
	arine-listed duplex fuel filters/water separators, engines and generators	
	nge system for engines, gears and generator	
	c fuel priming pumps for engines	
	gallon fiberglass fuel tanks constructed with fire retardant resin and bronze fittings Additional 400 gallon fuel capacity, (2) 200 gallon fuel tanks (in lieu of cockpit in-deck fish boxes)	ODT
	arine-listed duplex fuel filters/water separators, engines and generators	. OP I
	nless steel steering tie bar with pivoting self aligning ball joint connection at all cylinder and tie bar connections	
	ss steel rudders with zincs	
	nese bronze rudder ports, shaft couplings, and struts	
Transo		
	2 high strength tapered propeller shafts with zincs and round keys for reduced stress concentrations	
	propeller and coupling ends	
	high performance propellers	
	erwater through hull valves are bronze/chrome through-bolted with electrical bonding throughout	
Enaine	e Room Systems:	
_	fire extinguisher system with automatic and manual controls	
	naust blower	
24V hic	gh volume DC bilge and sump pump systems	
	ency bilge pump in lazarette	
	ion in engine room ceiling, for noise mitigation in salon	
	ual pickup sea chests for each engine and gensets, high speed sea chest for water makers,	
air d	conditioners and raw water pumps	
	lized drain line with single thru-hull	
Water	Systems:	
30 galle	on water heater	
270 ga	llon polyethylene water tank	
Pressu	rized fresh water pump	
	manifold with centralized shut off valve for sinks and showers	
-	it fresh water wash down outlet	
	C sealed shower sumps	
	ge fresh water outlet	
	llon holding tank plumbed for dockside pump out	
	g tank 3/4 full indicator light in all heads	
	water connection with pressure reducing valve	O D T
	Raw water wash down outlet	. UPT
	eck fresh water wash down in anchor locker	ODT
	Fresh water connection for tower wash down	
	Hot and cold handheld shower	
	Watermaker - 1,800 GPD Fresh water back-up pump	
	I IOOH WALO DAON-UD DUHID	, UP 1

Electrical Systems:	
(2) 240 V, 50A shore cords (1-retractable, 1-fixed)	
Two shoreline polarization transformers with boost function	
AGM 24 volt heavy duty marine battery banks mounted in fire retardant fiberglass boxes (2)	
Automatic battery charger	
Ventilation fans for electronics in attic space	
Automatic battery paralleling system with switch at helm console	
Battery control panel with fuses, voltmeter, and isolation switches	
AC and DC distribution panels with magnetic circuit breakers	
Electric panels, water tank gauge, and DC lights in attic space	
□ 12V electric reel outlets in cockpit (2)	OPT
☐ Electrical system - full 50 HZ 220V	
□ Additional generator (21.5 KW)	OPT
System Monitoring:	
Flybridge Hatteras systems Monitor display with visual and audible signals for exhaust temperature,	
alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge	
in engine room, AC power loss, smoke and carbon monoxide detectors, and holding tank 3/4 monitor	
Lighted compass	
Entertainment Equipment:	
Omni-directional TV antenna	
Integrated flybridge and cockpit DC AM/FM stereo with USB dock and speakers	
Independent audio video system in each living area to include LED Televisions, DC AM/FM stereos, USB ports	3,
and speakers. Master stateroom and bow stateroom have Blu-Ray players, guest staterooms have DVD play	
☐ Internet package	
☐ Satellite internet package	
□ DIRECTV package	
Air Conditioning	
Air conditioning:	
Air conditioning, 58,000 BTU capacity, with reverse cycle heating	-4
HVAC controls located in the salon, master stateroom, bow stateroom, port Midship stateroom and port aft sta	
☐ Mezzanine seating integrated air conditioning	
☐ Flybridge air conditioning	
☐ Air conditioning upgrade (70,000 BTU Capacity)	
☐ Back-up sea water pump for air conditioning system	OP1
Supply Items:	
Braided nylon mooring lines (6)	
Life jackets (8)	
Life ring	
Black fenders (3)	
☐ Prop removal and installation tool	OPT
Portable "drychem" fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard	
and ABYC standards	
Fog bell	
Cordless portable vacuum w/mounting bracket	
Vessel supply items (details in supplement)	
☐ One 10 person life raft with hydrostatic release on boat deck in compliance with United States Coast Gua	rd
and ABYC standards	OPT
□ CE certification	OPT

HATTERAS WARRANTY

1 year world wide warranty: see Express Limited Warranty for details









Hatteras[®]