




STANDARD SPECIFICATIONS

ARRANGEMENTS

OVERALL LENGTH	59'9"	18.21 M
WATERLINE LENGTH	51'9"	15.77 M
BEAM	18'9"	5.71 M
WEIGHT DISPLACEMENT	89,000 LB	40,370 KG
DRAFT	4'9"	1.45 M
FUEL CAPACITY	1,750 GAL	6,624 L
OPTIONAL FUEL TANK	250 GAL	946 L
FRESHWATER CAPACITY	200 GAL	757 L
HOLDING TANK	120 GAL	454 L
DIESEL GENERATOR	21.5 KW	
TWIN CAT C-32A DIESEL ENGINES	1,600 BHP	1,622 MHP



The specification measurements are approximations and subject to variance.

FLYBRIDGE
ARRANGEMENT

STANDARD
ARRANGEMENT

OPTIONAL
BOW & TACKLE
CENTER
ARRANGEMENT

OPTIONAL
THIRD HEAD
ARRANGEMENT

OPTIONAL
DINETTE
ARRANGEMENT

GENERAL ARRANGEMENT

3 stateroom 2 head arrangement
Starboard utility room hanging locker with interior light and upper storage shelf
Galley island cabinet with storage and four bar stools

- Galley peninsula with dinette and pop-up TV OPT
- 60/40 split berth arrangement in bow stateroom OPT
- 3rd head with private access to starboard stateroom (not available if HITS is selected) OPT
- Hatteras Integrated Tackle Storage ("HITS") with additional rod storage (not available if 3rd head is selected) OPT

TOWER & COCKPIT

- Half tower with outriggers - includes enclosure: A, B, (3ea) vents OPT
- Full tower with outriggers - includes enclosure: A and (3ea) vents OPT
- Electronics navigation package (half tower) OPT
- Electronics navigation package (full tower) OPT

Mezzanine seating with cushions
Bait and tackle center with drawers
2 insulated storage boxes in mezzanine step
Bait freezer under mezzanine seat
Refrigerated drink box in top step of mezzanine
Cockpit 156 square feet including mezzanine, two insulated fish boxes with macerator, stainless steel rod holders (4), and mounting plate for installation of fighting chair

- Starboard in-deck refrigerated fishbox OPT
- Wing board Pompanette rod holders (6), 3 port and 3 starboard OPT

Insulated transom fishbox with drain and macerator

- Circulating livewell with LED lighting in transom fishbox OPT
- Glass window in transom fishbox OPT
- Circulating livewell in port in-deck fishbox OPT
- Teak coaming boards OPT
- Teak cockpit sole OPT
- Teak covering boards OPT
- Teak flybridge accent strip OPT
- Teak mezzanine deck OPT

Transom door with heavy duty polished stainless steel hardware

- Lift up coaming gate OPT

INTERIOR APPOINTMENTS

Wood Finishes / Wall Covering / Fabric:

Teak interior, satin finish
 Teak interior, high gloss finish OPT

Fabric headliner installed on track system, wood accents in salon
Elegantly decorated GT tier 2 interior fabrics, wallcoverings, and countertops
(upgrades available at the Hatteras Design Center)

Flooring:

GT series tier 2 flooring throughout: vinyl flooring in galley, salon and heads; carpet in all staterooms
(flooring upgrades available at the Hatteras Design Center)

Integrated Interior Furnishings:

L-shaped sofa with storage, and Teak cocktail with storage table in salon
Master stateroom queen sized tapered berth, nightstands and dresser
Bow stateroom, queen sized tapered berths and nightstands

- Overhead lockers in bow stateroom OPT

Full-length mirror in all staterooms
Hanging locker storage in all staterooms
Starboard stateroom, upper and lower fixed twin berths with storage beneath lower berth and nightstand
Cedar lined storage areas in all staterooms

Mirrored storage cabinets over sinks in all heads
 Plexi mirrored ceiling in bow head and master head OPT
 Plexi mirrored ceiling in optional 3rd head OPT

Design Features:

- Bilge access through companionway deck hatches
- Companionway access to finished attic spaces
- Fixed frameless windows with tinted safety glass in salon and galley
- Bow stateroom screened overhead hatch with privacy shade
 - Port and starboard screened overhead hatches with privacy shades OPT
- Chair rail in companionway
 - Wainscoting in companionway OPT

Interior Lighting:

- Dimmable LED lighting in salon and master stateroom
- White LED lights in engine room
 - Bicolor LED (blue/white) lights in engine room OPT

Mattresses:

- Master and bow staterooms, queen-sized mattresses - System 3
- Starboard stateroom, twin mattresses (2), system 2 lower berth / latex upper berth
 - Master stateroom, queen-sized mattress upgrade - System 4 OPT
 - Bow stateroom, queen-sized mattress upgrade - System 4 (not available if 60/40 arrangement is selected) OPT
 - Starboard stateroom, twin mattress lower berth upgrade - System 3 OPT

EXTERIOR APPOINTMENTS

Integrated Exterior Furniture:

- Flybridge, center helm console with one captain helm chair, lounge seat forward of console with large insulated storage beneath, two bench seats, cushions and rod storage beneath
 - Helm chair premium upgrade - captain (1 chair, includes helm chair cover) OPT
 - 2nd Helm chair - companion helm chair on the port side OPT
 - Helm chair premium upgrades (2), captain and port companion (2 chairs, includes 2nd helm chair option and helm chair covers) OPT
 - Reversible riding seat ladder back with cushion (2) on flybridge OPT

Exterior Engineering:

- Palm Beach style helm with single lever electric controls and steering wheel
 - Teak helm pod, high gloss finish OPT
- Sliding salon door
 - Pneumatic sliding salon door OPT
 - Faux teak salon entry door, high gloss finish OPT
 - Swim platform with reboarding ladder OPT

Exterior Hardware and Anchoring System:

- Anchor, 25' chain, 300' anchor line
- Anchor locker on bow deck
 - Fiberglass pulpit with anchor chute and windlass, 1,700 pound, rope-chain with deck mount control switches OPT
 - 1500LB Davit mounted on bow deck with 126" boom OPT
- Four polished stainless steel spring cleats
- 2 polished stainless steel bow cleats and 2 stern cleats and hawse pipes
- Polished, anodized aluminum flybridge rail and bridge ladder
 - Polished, anodized aluminum bow rail OPT
 - Polished, stainless steel bow rail OPT
- Dual horn

Exterior Lighting:

- DC LED tricolor overhead lights under flybridge overhang
- Underwater LED lights (2) in transom - white
 - Underwater LED lights (2) in transom - upgrade intensity / bicolor (white and blue) OPT
 - Underwater LED lights (2) in transom - upgrade intensity / full spectrum, dancing OPT
 - Tri-color coaming lights OPT

APPLIANCES

Interior Appliances:

Under counter refrigerator and freezer drawer units (1 refrigerator / refrigerator unit, 1 refrigerator / freezer unit), microwave/convection oven, four-burner ceramic cooktop, garbage disposal, and ice maker in galley

- Third under-counter refrigerator / freezer drawer unit with stainless steel fascia (not available if dinette arrangement is selected) OPT
- Third under-counter refrigerator / freezer drawer unit with wood insert to match interior wood finish on appliance fascia (not available if dinette arrangement is selected)..... OPT
- Wood inserts to match interior wood finish on standard appliances (2) fascia..... OPT

Washer and dryer in companionway

Exterior Appliances:

- 8 cubic foot top loading freezer on the flybridge..... OPT
- Eskimo ice machine..... OPT

HULL / EXTERIOR

Propulsion / Fuel Systems / Hull Design and Performance:

Resin-infused foam core with solid fiberglass hull bottom; resulting in stronger and lighter construction, backed by Hatteras 10-year hull warranty

Hull and super structure painted with a white premium polyurethane coating for increased durability and improved cosmetic finish

- Light colored hull paint (non-metallic) OPT
- Dark colored hull paint (non-metallic)..... OPT

Ablative polymer/copper based anti-fouling bottom paint

Molded fiberglass longitudinal stringers with steel engine beds

Finished engine room and bilges for improved cosmetics

Twin Caterpillar® C-32A 1,600 BHP diesel engines

- Twin CAT C-32A 1,800 BHP diesel engines OPT
- Twin CAT C-32A 1,900 BHP diesel engines OPT
- Seakeeper 16 Gyro Stabilization System OPT
- Electric bow thruster..... OPT
- Hydraulic bow thruster system..... OPT

U.L. Marine-listed duplex fuel filters/water separators, engines and generators

Oil changing system for engines, gears and generator

Electric fuel priming pumps for engines

1,750 gallon combined fiberglass fuel tanks constructed with fire retardant resin and bronze fittings

- Additional 250 gallon fuel capacity, (1) 250 gallon fuel tank (cannot be chosen with gyro stabilization system)..... OPT

Electric over hydraulic patented differential power steering system

Stainless steel rudders with zincs

Manganese bronze rudder ports, shaft couplings, and struts

Transom zinc

Alloy 22 high strength tapered propeller shafts with zincs and round keys for reduced stress concentrations at propeller and coupling ends

Nibral high performance propellers

All underwater through hull valves are bronze/chrome through-bolted with electrical bonding throughout

Engine Room Systems:

FM200 fire extinguisher system with automatic and manual controls

DC ventilation fan

24V high volume DC bilge and sump pump systems

Emergency bilge pump in lazarette

Insulation in engine room ceiling, for noise mitigation in salon

Individual pickup sea chests for each engine and gensets, high speed sea chest for water makers, air conditioners and raw water pumps

Centralized drain line with single thru-hull

Water Systems:

- 20 gallon water heater
- 200 gallon polyethylene water tank
- Pressurized fresh water pump
- Water manifold with centralized shut off valve for sinks and showers
- Cockpit fresh water wash down outlet
- 24 V DC sealed shower sumps
- Flybridge fresh water outlet
- 120 gallon holding tank plumbed for dockside pump out
- Holding tank 3/4 full indicator light in all heads
- Shore water connection with pressure reducing valve

Raw water wash down outlet OPT

Bow deck fresh water wash down in anchor locker

- Fresh water connection for tower wash down OPT
- Hot and cold handheld shower..... OPT
- Watermaker - 1,200 GPD..... OPT
- Fresh water back-up pump OPT
- Spot Zero..... OPT

Electrical Systems:

- (2) 240 V, 50A shore cords (1-retractable, 1-fixed)
- Two shoreline polarization transformers with boost function
- AGM 24 volt heavy duty marine battery banks mounted in fire retardant fiberglass boxes (2)
- Automatic battery charger
- Ventilation fans for electronics in attic space
- Automatic battery paralleling system with switch at helm console
- Battery control panel with fuses, voltmeter, and isolation switches
- AC and DC distribution panels with magnetic circuit breakers
- Electric panels, water tank gauge, and DC lights in attic space

- 12V electric reel outlets in cockpit (2)..... OPT
- Electrical system - full 50 HZ 220V OPT
- Additional generator (21.5 KW)..... OPT

System Monitoring:

- Flybridge Hatteras Systems Monitor display with visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke and carbon monoxide detectors, and holding tank 3/4 monitor
- Lighted compass

Entertainment Equipment:

- Omni-directional TV antenna
- Integrated flybridge and cockpit DC AM/FM stereo with USB dock and speakers
- Independent audio video system in each living area to include LED Televisions, DC AM/FM stereos, USB ports, and speakers. master stateroom and bow stateroom have Blu-Ray players, guest staterooms have DVD players

- Internet package OPT
- Satellite internet package..... OPT
- DIRECTV package..... OPT

Air Conditioning:

- Air conditioning, 54,000 BTU capacity, with reverse cycle heating
- HVAC controls located in the salon, master stateroom, bow stateroom and starboard stateroom

- Mezzanine seating integrated air conditioning OPT
- Flybridge air conditioning..... OPT
- Air conditioning upgrade (64,000 BTU Capacity)..... OPT
- Back-up sea water pump for air conditioning system..... OPT

Supply Items:

- Braided nylon mooring lines (6)
- Life jackets (8)
- Life ring
- Black fenders (3)
 - Prop removal and installation tool..... OPT
- Portable “drychem” fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard and ABYC standards
- Hand held air horn
- Cordless portable vacuum w/mounting bracket
- Vessel supply items (details in supplement)
 - One 8 person life raft with hydrostatic release on boat deck in compliance with United States Coast Guard and ABYC standards OPT
 - CE certification..... OPT

HATTERAS WARRANTY

1 year world wide warranty: see Express Limited Warranty for details



Hatteras Yachts, LLC | 110 North Glenburnie Road | New Bern, North Carolina, U.S.A. | www.HatterasYachts.com

Note: Not all accessories shown in pictures or described herein are standard equipment or even available as options. Options and features are subject to change without notice.

Not all model year boats may contain all the features or meet the specifications described herein. Confirm availability of all accessories and equipment

with an authorized Hatteras Yachts dealer prior to purchase. Printed in the U.S.A. June 2019. ©Hatteras Yachts